Hoisting Safety Stats and Facts



FACTS

COMMON CAUSES OF HOISTING EQUIPMENT ACCIDENTS

- 1. Improperly maintained and inspected hoisting equipment.
- 2. Human error that causes the hoisting equipment to malfunction or loads to fall.
- 3. Hoisting equipment that isn't properly bolted, tied, or secured.
- 4. High winds that cause loads to fall or workers to fall into the path of the hoist.
- 5. Workers who aren't properly trained in the safe use of hoisting equipment.
- 6. Workers who aren't provided with proper safety gear.
- 7. Workers who aren't provided with the right equipment for the load lift.
- 8. Hoisting equipment that is defective when acquired by the employer, contractor, or owner of the vessel or rig.
- 9. Poor mechanical design causing the hoist to break while in use or not be powerful enough for the rated load.
- 10. Poor workplace design.
- 11. Malfunction of the signaling system.
- 12. Hoisting equipment not used for the appropriate purpose or not used as designed.
- 13. Loads insecurely attached to the hoist.

STATS

- According to OHSA around seventy (70) deaths are reported each year from crane and hoisting accidents.
- The Census of Fatal Occupational Injuries (CFOI) reported 297 total hoist-related deaths, an average of 42 per year over a 7-year period. Men accounted for 293 of the 297 fatal injuries involving hoists. White, non-Hispanic workers accounted for 72 % of fatal injuries involving hoists, while 15 % involved Hispanic and Latino workers.
- Just over half of all fatal hoists injuries involved the worker being struck by an object or equipment. About three-fifths of these cases (91 of 154) involved the worker being struck by a falling object or equipment; in 79 of these cases, the worker was struck by an object falling from or put in motion by a crane. Transportation incidents and falls to a lower level each made up about 13 and 14% of the remaining fatal injuries involving cranes, respectively.
- The worker was operating a crane at the time of the fatal injury in 22 % of cases. The worker was engaged in construction, assembling, and dismantling activities in another 23 % of cases. Just over one-quarter of all fatal crane injuries (27%) occurred at a construction site (except road construction). 24 % occurred at a factory or plant, another 8 % occurred at a road construction site, and 6 % occurred at a dockyard.