

## Safe Patient Handling — Fallen Phrases





										C																			
			$\forall \;\;$				5			$_{A}$	I				я.		p		5										
	M	3	$\otimes$		10.		A			$_{\rm A}$	A	19	3		0	L.	[0],		\$		0								
	$_{p}.$	$\forall \\$	$\mu$	$\subset$	w		N		и.	$_{\mp}$	0	190	8	8	$\mathbf{z}$	ж.	${\bf L}_{\rm c}$		N		$_{p}$	8.	8				$\mathbf{z}$		
Ι	0	Ř.	$^{\rm T}$	L	$\mathbf{r}$	0	5	8.	$p_{i}$	$_{\rm A}$	Ι	w	L	N	w	6	$_{6}$		8.	5	M	161	10	0	$_{\rm A}$		•	5	
p	0	A	6	U	H	M	5	$\mathbf{z}$	${\boldsymbol{\mu}}^{*}$	٨	L.	19	Ξ	$\mathtt{Q}$	0	$\mathbf{I}$	0	6	A	P	т	A	N	A	N		٨	W	16
Ι	56	H	100	0	I	A	т		6	A.	0	т	5	U	I.	Y	9	M		$\tau$	8.	W	9	т	N.	8.	Ι	т	0

## **Answers**

Patient handling is the top cause of injury among care workers. Care workers who move people are at significant risk of sprains and strain injuries. Controlling the risk involves providing appropriate mechanical equipment, and training.